


SHOP NO.: LW-SQ30-04-M

of **3** 







**FRONT ELEVATION** 

## PRELIMINARY DRAWING - NOT FOR CONSTRUCTION


THIS PRINT IS THE PROPERTY OF RCP SHELTERS AND IS NOT TO BE USED, COPIED, OR REPRODUCED WITHOUT THEIR EXPRESSED WRITTEN PERMISSION

DRAWN: JCS 5/14/2019


SHOP NO.: LW-SQ30-04-M EEC JOB NO.:

2 of 3

**AUXILIARY FRAMING VIEW** 



TYPICAL PIER DIAMETER IS BETWEEN 2'-0" AND 3'-0"± TYPICAL PIER DEPTH IS BETWEEN 3'-6" AND 5'-6"±



**FOUNDATION PLAN** 

## **COLUMN PIER DETAIL**

ACTUAL DESIGN WILL VARY DUE TO BUILDING CODE REQUIREMENTS AND MAY BE SUBSTANTIALLY LARGER.

THIS PRINT IS THE PROPERTY OF RCP SHELTERS AND IS NOT TO BE USED, COPIED, OR REPRODUCED WITHOUT THEIR EXPRESSED WRITTEN PERMISSION

LW-SQ30-04-M

DRAWN: JCS	5/14/2019
CHK'D:	
REV 1:	
REV 2:	
REV 3:	
REV 4:	

3 of 3